

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2943	microscop\$ and ((switch\$ or control\$5 or stop\$5 or (turn\$4 near3 on) or ((turn\$4 or shut\$5) near3 (off or down))) with (volt\$4 or current\$2 or power\$4) with (sensor or detect\$4)) and (stage or turret or revolv\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/02 09:02
L2	2185	microscop\$ and ((switch\$ or control\$5 or stop\$5 or (turn\$4 near3 on) or ((turn\$4 or shut\$5) near3 (off or down))) with (volt\$4 or current\$2 or power\$4 or batter\$3 or electr\$8) with (sensor or detect\$4)) and (stage or turret or revolv\$4) and (driver or actuat\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/02 12:42
L3	547	2 and (controller\$3 with signal\$4) and switch\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/02 09:14
L4	75	microscop\$ and ((switch\$ or control\$5 or stop\$5 or (turn\$4 near3 on) or ((turn\$4 or shut\$5) near3 (off or down))) with (volt\$4 or current\$2 or power\$4 or batter\$3 or electr\$8)) and ((driver or actuat\$) with (control\$5 near4 signal\$4)) and (sensor with stop\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/02 12:53
L5	253	microscop\$ and ((switch\$ or control\$5 or stop\$5 or (turn\$4 near3 on) or ((turn\$4 or shut\$5) near3 (off or down))) with (volt\$4 or current\$2 or power\$4 or batter\$3 or electr\$8) with (sensor or actuat\$)) and (driver with (control\$5 near4 signal\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/02 12:55
S1	1327	(359/368).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 11:05
S2	242	(359/388).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 11:05
S3	251	(359/381).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 11:05
S4	191	(359/384).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 11:05
S5	202	(359/392).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 11:05

S6	232	(359/393).CCLS.	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 11:05
S7	2082	S1 or S2 or S3 or S4 or S5 or S6	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 11:06
S8	55	S7 and microscop\$ and ((turret or revolv\$) same (objective)) and (driv\$4 or sensor) and (power with (source or supply))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:20
S9	0	S7 and microscop\$ and (turret or revolv\$ or stage or platform) and ((driv\$4 or sensor) same ((power with (source or supply)) same on same off))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:20
S10	0	S7 and microscop\$ and ((turret or revolv\$ or stage or platform) with (driv\$4 or sensor)) and (((power with (source or supply)) or current or voltage or power) same on same off)	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:20
S11	0	S7 and microscop\$ and ((turret or revolv\$ or stage or platform) with (driv\$4 or controller)) and (((power with (source or supply)) or current or voltage or power) same on same off)	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:20
S12	0	S7 and microscop\$ and (turret or revolv\$ or stage or platform) and (driv\$4 or controller) and sensor and (((power with (source or supply)) or current or voltage or power) same on same off)	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:21
S13	211	S7 and microscop\$ and (turret or revolv\$ or stage or platform) and (driv\$4 or controller) and sensor	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:21
S14	1	S7 and (power near4 (source or supply)) and on and off	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:21
S15	205	S7 and (power near4 (source or supply))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:21
S16	1	S7 and (power near4 (source or supply)) and "on" and "off"	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:21

S17	53	S7 and (sensor with (current or power or voltage))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:21
S18	121	S7 and ((sensor or detect\$3) same ((control\$5 or adjust\$4) with (current or voltage or power)))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:21
S19	169	S7 and ((sav\$3 or conserv\$ or lower or reduc\$3) with (power or voltage or current or electric\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:21
S20	9	S7 and ((sav\$3 or conserv\$ or lower or reduc\$3) with (power or voltage or current or electric\$) with consum\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:21
S21	37	S7 and (((sav\$3 or conserv\$ or lower or reduc\$3) with (power or voltage or current or electric\$)) same (sensor or detect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:22
S22	6	((("4714823") or ("4653878") or ("4555620"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 15:10
S23	104	S7 and microscop\$ and ((imag\$5 or ccd or camera or detect\$3) with shutter)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:22
S24	27	S7 and microscop\$ and (((imag\$5 or ccd or camera or detect\$3) with shutter) same (power or current or voltage or electric\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:22
S25	86	S7 and (((imag\$5 or ccd or camera or detect\$3) with shutter) and (power or current or voltage or electric\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 15:31
S26	239	(359/380).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 15:30
S27	330	(250/201.3).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 15:31

S28	565	S26 or S27	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 15:31
S29	13	S28 and microscop\$ and ((turret or revolv\$) same (objective)) and (driv\$4 or sensor) and (power with (source or supply))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:22
S30	0	S28 and microscop\$ and (turret or revolv\$ or stage or platform) and ((driv\$4 or sensor) same ((power with (source or supply)) same on same off))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:20
S31	0	S28 and microscop\$ and ((turret or revolv\$ or stage or platform) with (driv\$4 or sensor)) and (((power with (source or supply)) or current or voltage or power) same on same off)	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:20
S32	0	S28 and microscop\$ and ((turret or revolv\$ or stage or platform) with (driv\$4 or controller)) and (((power with (source or supply)) or current or voltage or power) same on same off)	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:20
S33	0	S28 and microscop\$ and (turret or revolv\$ or stage or platform) and (driv\$4 or controller) and sensor and (((power with (source or supply)) or current or voltage or power) same on same off)	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:21
S34	103	S28 and microscop\$ and (turret or revolv\$ or stage or platform) and (driv\$4 or controller) and sensor	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:33
S35	0	S28 and (power near4 (source or supply)) and on and off	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:21
S36	58	S28 and (power near4 (source or supply))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 17:56
S37	0	S28 and (power near4 (source or supply)) and "on" and "off"	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:21
S38	28	S28 and (sensor with (current or power or voltage))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 18:00

S39	55	S28 and ((sensor or detect\$3) same ((control\$5 or adjust\$4) with (current or voltage or power)))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 18:04
S40	69	S28 and ((sav\$3 or conserv\$ or lower or reduc\$3) with (power or voltage or current or electric\$))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 18:10
S41	1	S28 and ((sav\$3 or conserv\$ or lower or reduc\$3) with (power or voltage or current or electric\$) with consum\$)	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 18:14
S42	14	S28 and (((sav\$3 or conserv\$ or lower or reduc\$3) with (power or voltage or current or electric\$)) same (sensor or detect\$3))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 18:14
S43	30	S28 and microscop\$ and ((imag\$5 or ccd or camera or detect\$3) with shutter)	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 18:15
S44	7	S28 and microscop\$ and (((imag\$5 or ccd or camera or detect\$3) with shutter) same (power or current or voltage or electric\$))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 18:22
S45	965	microscop\$ and driver and sensor and (power near3 (supply or source)) and controller	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 18:24
S46	5	microscop\$ and driver and ((sensor or detect\$4) with on?off) and (power near3 (supply or source)) and controller and ((imag\$5 or ccd or camera or detect\$3) with shutter)	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 18:28
S47	224	microscop\$ and (turret or revolver or stage or platform) and ((sensor or detect\$4) with (power\$3 or current or voltage or electric\$)) and (power near3 (supply or source)) and controller and ((imag\$5 or ccd or camera or detect\$3) with shutter)	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 18:56
S48	38	microscop\$ and (turret or revolver) and (stage or platform) and ((sensor or detect\$4) with (power\$3 or current or voltage or electric\$) with (apply\$ or remov\$ or (turn near3 on) or (turn near3 off) or on?off)) and (power near3 (supply or source))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 19:07
S49	187	microscop\$ and (turret or revolver or (objective near5 holder)) and (stage or platform or translat\$ or ((sample or specimen) near5 holder)) and ((sensor or detect\$4) with (power\$3 or current or voltage or electric\$)) and (power near3 (supply or source))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/24 09:34

S50	123	microscop\$ and ((turret or revolver or (objective near5 holder) or nosepiece or (nose near4 piece) or nose?piece) with (sensor or detect\$4)) and ((stage or platform or translat\$ or ((sample or specimen) near5 holder)) with (sensor or detect\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/24 13:03
S51	82	S50 and ((imag\$5 or ccd or camera or detect\$4 or film) with (power or current or voltage or electric\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/24 09:39
S52	28	microscop\$ and (turret or revolver or (objective near5 holder) or nosepiece or (nose near4 piece) or nose?piece) and (stage or platform or translat\$ or ((sample or specimen) near5 holder)) and ((sensor or detect\$4) with stop\$3 with (current or voltage or power or electric\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/24 11:45
S53	7	microscop\$ and (turret or revolver or (objective near5 holder) or nosepiece or (nose near4 piece) or nose?piece) and (stage or platform or translat\$ or ((sample or specimen) near5 holder)) and ((sensor or detect\$4) with turn\$3 with ("on" or "off") with (current or voltage or power or electric\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/24 11:47
S54	370	microscop\$ and ((stage or platform or translat\$ or ((sample or specimen) near5 holder)) with (sensor or detect\$4)) and (power near4 switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/24 13:19
S55	635	microscop\$ and ((stage or platform or translat\$ or ((sample or specimen) near5 holder)) with (sensor or detect\$4)) and ((power\$3 or main) near4 (switch\$3 or main))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/24 13:21
S56	70	(microscop\$ with (electronic\$ or electric\$))and ((stage or platform or translat\$ or ((sample or specimen) near5 holder)) with (sensor or detect\$4)) and ((power\$3 or main) near4 (switch\$3 or main))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/24 13:24
S57	1425	(359/368).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/07/29 11:55
S58	250	(359/388).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/07/29 11:55
S59	263	(359/381).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/07/29 11:55
S60	196	(359/384).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/07/29 11:55

S61	207	(359/392).CCLS.	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	OFF	2005/07/29 11:55
S62	242	(359/393).CCLS.	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	OFF	2005/07/29 11:55
S63	2201	S57 or S58 or S59 or S60 or S61 or S62	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:55
S64	61	S63 and microscop\$ and ((turret or revolv\$) same (objective)) and (driv\$4 or sensor) and (power with (source or supply))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:55
S65	0	S63 and microscop\$ and (turret or revolv\$ or stage or platform) and ((driv\$4 or sensor) same ((power with (source or supply)) same on same off))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:56
S66	0	S63 and microscop\$ and ((turret or revolv\$ or stage or platform) with (driv\$4 or sensor)) and (((power with (source or supply)) or current or voltage or power) same on same off)	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:56
S67	0	S63 and microscop\$ and ((turret or revolv\$ or stage or platform) with (driv\$4 or controller)) and (((power with (source or supply)) or current or voltage or power) same on same off)	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:56
S68	0	S63 and microscop\$ and (turret or revolv\$ or stage or platform) and (driv\$4 or controller) and sensor and (((power with (source or supply)) or current or voltage or power) same on same off)	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:56
S69	231	S63 and microscop\$ and (turret or revolv\$ or stage or platform) and (driv\$4 or controller) and sensor	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:56
S70	2	S63 and (power near4 (source or supply)) and on and off	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:56
S71	223	S63 and (power near4 (source or supply))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:56

S72	2	S63 and (power near4 (source or supply)) and "on" and "off"	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 12:26
S73	59	S63 and (sensor with (current or power or voltage))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:56
S74	129	S63 and ((sensor or detect\$3) same ((control\$5 or adjust\$4) with (current or voltage or power)))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:56
S75	182	S63 and ((sav\$3 or conserv\$ or lower or reduc\$3) with (power or voltage or current or electric\$))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 12:38
S76	10	S63 and ((sav\$3 or conserv\$ or lower or reduc\$3) with (power or voltage or current or electric\$) with consum\$)	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:56
S77	39	S63 and (((sav\$3 or conserv\$ or lower or reduc\$3) with (power or voltage or current or electric\$)) same (sensor or detect\$3))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:56
S78	111	S63 and microscop\$ and ((imag\$5 or ccd or camera or detect\$3) with shutter)	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 13:20
S79	29	S63 and microscop\$ and (((imag\$5 or ccd or camera or detect\$3) with shutter) same (power or current or voltage or electric\$))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:56
S80	89	S63 and (((imag\$5 or ccd or camera or detect\$3) with shutter) and (power or current or voltage or electric\$))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:57
S81	247	(359/380).CCLS.	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	OFF	2005/07/29 11:57
S82	354	(250/201.3).CCLS.	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	OFF	2005/07/29 11:57

S83	597	S81 or S82	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:57
S84	0	S83 and microscop\$ and (turret or revolv\$ or stage or platform) and ((driv\$4 or sensor) same ((power with (source or supply)) same on same off))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:57
S85	0	S83 and microscop\$ and ((turret or revolv\$ or stage or platform) with (driv\$4 or sensor)) and (((power with (source or supply)) or current or voltage or power) same on same off)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:57
S86	0	S83 and microscop\$ and ((turret or revolv\$ or stage or platform) with (driv\$4 or controller)) and (((power with (source or supply)) or current or voltage or power) same on same off)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:57
S87	0	S83 and (power near4 (source or supply)) and on and off	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:57
S88	0	S83 and microscop\$ and (turret or revolv\$ or stage or platform) and (driv\$4 or controller) and sensor and (((power with (source or supply)) or current or voltage or power) same on same off)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:58
S89	0	S83 and (power near4 (source or supply)) and "on" and "off"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:58
S90	15	S83 and microscop\$ and ((turret or revolv\$) same (objective)) and (driv\$4 or sensor) and (power with (source or supply))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:58
S91	108	S83 and microscop\$ and (turret or revolv\$ or stage or platform) and (driv\$4 or controller) and sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:58
S92	67	S83 and (power near4 (source or supply))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:58
S93	32	S83 and (sensor with (current or power or voltage))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:58

S94	61	S83 and ((sensor or detect\$3) same ((control\$5 or adjust\$4) with (current or voltage or power)))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:58
S95	77	S83 and ((sav\$3 or conserv\$ or lower or reduc\$3) with (power or voltage or current or electric\$))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:58
S96	1	S83 and ((sav\$3 or conserv\$ or lower or reduc\$3) with (power or voltage or current or electric\$) with consum\$)	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:59
S97	15	S83 and (((sav\$3 or conserv\$ or lower or reduc\$3) with (power or voltage or current or electric\$)) same (sensor or detect\$3))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 15:40
S98	34	S83 and microscop\$ and ((imag\$5 or ccd or camera or detect\$3) with shutter)	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:59
S99	10	S83 and microscop\$ and (((imag\$5 or ccd or camera or detect\$3) with shutter) same (power or current or voltage or electric\$))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 11:59
S100	392	(359/391).CCLS.	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	OFF	2005/07/29 15:54
S101	4255	microscop\$ and ((switch\$ or control\$5) with (volt\$4 or current\$2 or power\$4) with (sensor or detect\$4))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 17:31
S102	5844	microscop\$ and ((switch\$ or control\$5) with (volt\$4 or current\$2 or power\$4) with (sensor or detect\$4))	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/01 18:09
S103	1582	S102 and ((power\$4 or batter\$3 or electr\$8 or current\$2 or volt\$4) with (suppl\$3 or pack or source)) and (driver or actuator)	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 17:37
S104	654	S103 and switch\$4 and stop\$4	US-PGPUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 17:35

S105	486	S102 and ((power\$4 or batter\$3 or electr\$8 or current\$2 or volt\$4) with (suppl\$3 or pack or source) with (on or off or adjust\$7)) and (driver or actuator)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/29 17:38
S106	6044	microscop\$ and ((switch\$ or control\$5 or stop\$5 or (turn\$4 near3 on) or (turn\$4 near off)) with (volt\$4 or current\$2 or power\$4) with (sensor or detect\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/02 09:00
S107	270	S106 and ((control\$5 near5 signal\$4) with driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/01 19:17